



GUÍA DE DESGASTE 1/8 ESPESOR "WGT"



Material: Nylon con refuerzo de Fibra de Vidrio

Dimensiones: Pulgadas

Velocidad: ≤ 1 mt/seg

Rango de Compresión: 25,000 PSI

N. Parte	CS	DE	DI	H
WGT100-087	0.125	1.000	0.750	0.875
WGT112-037	0.125	1.125	0.875	0.375
WGT125-037	0.125	1.250	1.000	0.375
WGT125-050	0.125	1.250	1.000	0.500
WGT137-050	0.125	1.375	1.125	0.500
WGT150-025	0.125	1.500	1.250	0.250
WGT150-037	0.125	1.500	1.250	0.375
WGT150-050	0.125	1.500	1.250	0.500
WGT150-062	0.125	1.500	1.250	0.625
WGT150-100	0.125	1.500	1.250	1.000
WGT162-037	0.125	1.625	1.375	0.375
WGT162-050	0.125	1.625	1.375	0.500
WGT175-025	0.125	1.750	1.500	0.250
WGT175-037	0.125	1.750	1.500	0.375
WGT175-050	0.125	1.750	1.500	0.500
WGT175-075	0.125	1.750	1.500	0.750
WGT175-100	0.125	1.750	1.500	1.000
WGT187-050	0.125	1.875	1.625	0.500
WGT187-075	0.125	1.875	1.625	0.750
WGT187-125	0.125	1.875	1.625	1.250
WGT200-016	0.125	2.000	1.750	0.160
WGT200-025	0.125	2.000	1.750	0.250
WGT200-037	0.125	2.000	1.750	0.375
WGT200-050	0.125	2.000	1.750	0.500
WGT200-062	0.125	2.000	1.750	0.625
WGT200-075	0.125	2.000	1.750	0.750
WGT200-100	0.125	2.000	1.750	1.000
WGT200-150	0.125	2.000	1.750	1.500
WGT212-037	0.125	2.125	1.875	0.375
WGT212-050	0.125	2.125	1.875	0.500
WGT212-075	0.125	2.125	1.875	0.750
WGT218-026	0.125	2.187	1.937	0.265

N. Parte	CS	DE	DI	H
WGT225-025	0.125	2.250	2.000	0.250
WGT225-031	0.125	2.250	2.000	0.312
WGT225-037	0.125	2.250	2.000	0.375
WGT225-050	0.125	2.250	2.000	0.500
WGT225-062	0.125	2.250	2.000	0.625
WGT225-075	0.125	2.250	2.000	0.750
WGT225-087	0.125	2.250	2.000	0.875
WGT225-100	0.125	2.250	2.000	1.000
WGT225-125	0.125	2.250	2.000	1.250
WGT237-050	0.125	2.375	2.125	0.500
WGT237-075	0.125	2.375	2.125	0.750
WGT250-016	0.125	2.500	2.250	0.160
WGT250-018	0.125	2.500	2.250	0.187
WGT250-025	0.125	2.500	2.250	0.250
WGT250-031	0.125	2.500	2.250	0.312
WGT250-037	0.125	2.500	2.250	0.375
WGT250-050	0.125	2.500	2.250	0.500
WGT250-062	0.125	2.500	2.250	0.625
WGT250-074	0.125	2.500	2.250	0.740
WGT250-075	0.125	2.500	2.250	0.750
WGT250-087	0.125	2.500	2.250	0.875
WGT250-100	0.125	2.500	2.250	1.000
WGT262-050	0.125	2.625	2.375	0.500
WGT262-062	0.125	2.625	2.375	0.625
WGT262-075	0.125	2.625	2.375	0.750
WGT262-100	0.125	2.625	2.375	1.000
WGT275-031	0.125	2.750	2.500	0.312
WGT275-037	0.125	2.750	2.500	0.375
WGT275-050	0.125	2.750	2.500	0.500
WGT275-062	0.125	2.750	2.500	0.625
WGT275-075	0.125	2.750	2.500	0.750
WGT275-093	0.125	2.750	2.500	0.937

GUÍA DE DESGASTE 1/8 ESPESOR "WGT"

N. Parte	CS	DE	DI	H
WGT275-100	0.125	2.750	2.500	1.000
WGT275-150	0.125	2.750	2.500	1.500
WGT275-200	0.125	2.750	2.500	2.000
WGT287-050	0.125	2.875	2.625	0.050
WGT287-075	0.125	2.875	2.625	0.750
WGT287-087	0.125	2.875	2.625	0.875
WGT287-100	0.125	2.875	2.625	1.000
WGT300-016	0.125	3.000	2.750	0.160
WGT300-025	0.125	3.000	2.750	0.250
WGT300-031	0.125	3.000	2.750	0.312
WGT300-037	0.125	3.000	2.750	0.375
WGT300-050	0.125	3.000	2.750	0.500
WGT300-062	0.125	3.000	2.750	0.625
WGT300-066	0.125	3.000	2.750	0.660
WGT300-075	0.125	3.000	2.750	0.750
WGT300-100	0.125	3.000	2.750	1.000
WGT300-124	0.125	3.000	2.750	1.240
WGT306-025	0.125	3.062	2.812	0.250
WGT312-050	0.125	3.125	2.875	0.500
WGT312-100	0.125	3.125	2.875	1.000
WGT325-025	0.125	3.250	3.000	0.250
WGT325-031	0.125	3.250	3.000	0.312
WGT325-037	0.125	3.250	3.000	0.375
WGT325-050	0.125	3.250	3.000	0.500
WGT325-062	0.125	3.250	3.000	0.625
WGT325-075	0.125	3.250	3.000	0.750
WGT325-100	0.125	3.250	3.000	1.000
WGT325-111	0.125	3.250	3.000	1.110
WGT325-125	0.125	3.250	3.000	1.250
WGT325-150	0.125	3.250	3.000	1.500
WGT325-155	0.125	3.250	3.000	1.550
WGT325-162	0.125	3.250	3.000	1.625
WGT325-200	0.125	3.250	3.000	2.000
WGT325-212	0.125	3.250	3.000	2.125
WGT337-075	0.125	3.375	3.125	0.750
WGT350-016	0.125	3.500	3.250	0.160
WGT350-025	0.125	3.500	3.250	0.250
WGT350-037	0.125	3.500	3.250	0.375
WGT350-043	0.125	3.500	3.250	0.437

N. Parte	CS	DE	DI	H
WGT350-050	0.125	3.500	3.250	0.500
WGT350-062	0.125	3.500	3.250	0.625
WGT350-075	0.125	3.500	3.250	0.750
WGT350-087	0.125	3.500	3.250	0.875
WGT350-100	0.125	3.500	3.250	1.000
WGT350-112	0.125	3.500	3.250	1.125
WGT350-150	0.125	3.500	3.250	1.500
WGT362-050	0.125	3.625	3.375	0.500
WGT362-062	0.125	3.625	3.375	0.625
WGT362-075	0.125	3.625	3.375	0.750
WGT362-100	0.125	3.625	3.375	1.000
WGT375-016	0.125	3.750	3.500	0.160
WGT375-037	0.125	3.750	3.500	0.375
WGT375-050	0.125	3.750	3.500	0.500
WGT375-062	0.125	3.750	3.500	0.625
WGT375-075	0.125	3.750	3.500	0.750
WGT375-100	0.125	3.750	3.500	1.000
WGT375-124	0.125	3.750	3.500	1.240
WGT375-125	0.125	3.750	3.500	1.250
WGT375-149	0.125	3.750	3.500	1.490
WGT375-199	0.125	3.750	3.500	1.990
WGT387-025	0.125	3.875	3.625	0.250
WGT387-100	0.125	3.875	3.625	1.000
WGT400-016	0.125	4.000	3.750	0.160
WGT400-031	0.125	4.000	3.750	0.312
WGT400-037	0.125	4.000	3.750	0.375
WGT400-050	0.125	4.000	3.750	0.500
WGT400-062	0.125	4.000	3.750	0.625
WGT400-075	0.125	4.000	3.750	0.750
WGT400-087	0.125	4.000	3.750	0.875
WGT400-099	0.125	4.000	3.750	0.990
WGT400-100	0.125	4.000	3.750	1.000
WGT400-125	0.125	4.000	3.750	1.250
WGT400-150	0.125	4.000	3.750	1.500
WGT412-042	0.125	4.125	3.875	0.420
WGT412-100	0.125	4.125	3.875	1.000
WGT425-025	0.125	4.250	4.000	0.250
WGT425-037	0.125	4.250	4.000	0.375
WGT425-050	0.125	4.250	4.000	0.500

GUÍA DE DESGASTE 1/8 ESPESOR "WGT"

N. Parte	CS	DE	DI	H
WGT425-062	0.125	4.250	4.000	0.625
WGT425-075	0.125	4.250	4.000	0.750
WGT425-087	0.125	4.250	4.000	0.875
WGT425-099	0.125	4.250	4.000	0.990
WGT425-100	0.125	4.250	4.000	1.000
WGT425-124	0.125	4.250	4.000	1.240
WGT425-125	0.125	4.250	4.000	1.250
WGT425-149	0.125	4.250	4.000	1.490
WGT425-150	0.125	4.250	4.000	1.500
WGT425-188	0.125	4.250	4.000	1.880
WGT426-050	0.125	4.260	4.010	0.500
WGT426-249	0.125	4.260	4.010	2.490
WGT440-062	0.125	4.400	4.150	0.625
WGT450-025	0.125	4.500	4.250	0.250
WGT450-037	0.125	4.500	4.250	0.375
WGT450-050	0.125	4.500	4.250	0.500
WGT450-062	0.125	4.500	4.250	0.625
WGT450-075	0.125	4.500	4.250	0.750
WGT450-087	0.125	4.500	4.250	0.875
WGT450-093	0.125	4.500	4.250	0.937
WGT450-099	0.125	4.500	4.250	0.990
WGT450-100	0.125	4.500	4.250	1.000
WGT450-149	0.125	4.500	4.250	1.490
WGT450-150	0.125	4.500	4.250	1.500
WGT450-186	0.125	4.500	4.250	1.860
WGT450-236	0.125	4.500	4.250	2.360
WGT475-037	0.125	4.750	4.500	0.375
WGT475-050	0.125	4.750	4.500	0.500
WGT475-075	0.125	4.750	4.500	0.750
WGT475-099	0.125	4.750	4.500	0.990
WGT475-100	0.125	4.750	4.500	1.000
WGT475-124	0.125	4.750	4.500	1.240
WGT475-125	0.125	4.750	4.500	1.250
WGT475-150	0.125	4.750	4.500	1.500
WGT475-156	0.125	4.750	4.500	1.562
WGT475-199	0.125	4.750	4.500	1.990
WGT475-200	0.125	4.750	4.500	2.000
WGT475-350	0.125	4.750	4.500	3.500
WGT487-075	0.125	4.875	4.625	0.750

N. Parte	CS	DE	DI	H
WGT500-037	0.125	5.000	4.750	0.375
WGT500-050	0.125	5.000	4.750	0.500
WGT500-062	0.125	5.000	4.750	0.625
WGT500-075	0.125	5.000	4.750	0.750
WGT500-100	0.125	5.000	4.750	1.000
WGT500-111	0.125	5.000	4.750	1.110
WGT500-112	0.125	5.000	4.750	1.125
WGT500-124	0.125	5.000	4.750	1.240
WGT500-155	0.125	5.000	4.750	1.550
WGT500-175	0.125	5.000	4.750	1.750
WGT512-156	0.125	5.125	4.875	1.562
WGT525-050	0.125	5.250	5.000	0.500
WGT525-062	0.125	5.250	5.000	0.625
WGT525-075	0.125	5.250	5.000	0.750
WGT525-100	0.125	5.250	5.000	1.000
WGT525-102	0.125	5.250	5.000	1.020
WGT525-125	0.125	5.250	5.000	1.250
WGT525-149	0.125	5.250	5.000	1.490
WGT525-200	0.125	5.250	5.000	2.000
WGT525-361	0.125	5.250	5.000	3.610
WGT550-037	0.125	5.500	5.250	0.375
WGT550-050	0.125	5.500	5.250	0.500
WGT550-062	0.125	5.500	5.250	0.625
WGT550-075	0.125	5.500	5.250	0.750
WGT550-100	0.125	5.500	5.250	1.000
WGT550-125	0.125	5.500	5.250	1.250
WGT550-137	0.125	5.500	5.250	1.375
WGT550-161	0.125	5.500	5.250	1.610
WGT550-175	0.125	5.500	5.250	1.750
WGT550-199	0.125	5.500	5.250	1.990
WGT550-224	0.125	5.500	5.250	2.240
WGT575-050	0.125	5.750	5.500	0.500
WGT575-062	0.125	5.750	5.500	0.625
WGT575-075	0.125	5.750	5.500	0.750
WGT575-100	0.125	5.750	5.500	1.000
WGT575-150	0.125	5.750	5.500	1.500
WGT575-161	0.125	5.750	5.500	1.610
WGT575-175	0.125	5.750	5.500	1.750
WGT575-199	0.125	5.750	5.500	1.990

GUÍA DE DESGASTE 1/8 ESPESOR "WGT"

N. Parte	CS	DE	DI	H
WGT575-236	0.125	5.750	5.500	2.360
WGT600-037	0.125	6.000	5.750	0.375
WGT600-050	0.125	6.000	5.750	0.500
WGT600-062	0.125	6.000	5.750	0.625
WGT600-075	0.125	6.000	5.750	0.750
WGT600-087	0.125	6.000	5.750	0.875
WGT600-100	0.125	6.000	5.750	1.000
WGT600-107	0.125	6.000	5.750	1.062
WGT600-124	0.125	6.000	5.750	1.240
WGT600-125	0.125	6.000	5.750	1.250
WGT600-174	0.125	6.000	5.750	1.740
WGT600-175	0.125	6.000	5.750	1.750
WGT600-200	0.125	6.000	5.750	2.000
WGT600-286	0.125	6.000	5.750	2.860
WGT625-050	0.125	6.250	6.000	0.500
WGT625-062	0.125	6.250	6.000	0.625
WGT625-075	0.125	6.250	6.000	0.750
WGT625-100	0.125	6.250	6.000	1.000
WGT625-149	0.125	6.250	6.000	1.490
WGT625-150	0.125	6.250	6.000	1.500
WGT625-174	0.125	6.250	6.000	1.740
WGT625-175	0.125	6.250	6.000	1.750
WGT625-200	0.125	6.250	6.000	2.000
WGT625-274	0.125	6.250	6.000	2.740
WGT650-037	0.125	6.500	6.250	0.375
WGT650-050	0.125	6.500	6.250	0.500
WGT650-062	0.125	6.500	6.250	0.625
WGT650-075	0.125	6.500	6.250	0.750
WGT650-100	0.125	6.500	6.250	1.000
WGT650-125	0.125	6.500	6.250	1.250
WGT650-137	0.125	6.500	6.250	1.375
WGT650-149	0.125	6.500	6.250	1.490
WGT650-174	0.125	6.500	6.250	1.740
WGT650-199	0.125	6.500	6.250	1.990
WGT650-200	0.125	6.500	6.250	2.000
WGT650-274	0.125	6.500	6.250	2.740
WGT650-286	0.125	6.500	6.250	2.860
WGT650-348	0.125	6.500	6.250	3.480
WGT675-075	0.125	6.750	6.500	0.750

N. Parte	CS	DE	DI	H
WGT675-100	0.125	6.750	6.500	1.000
WGT675-150	0.125	6.750	6.500	1.500
WGT676-125	0.125	6.756	6.506	1.250
WGT700-050	0.125	7.000	6.750	0.500
WGT700-062	0.125	7.000	6.750	0.625
WGT700-068	0.125	7.000	6.750	0.687
WGT700-075	0.125	7.000	6.750	0.750
WGT700-100	0.125	7.000	6.750	1.000
WGT700-150	0.125	7.000	6.750	1.500
WGT700-174	0.125	7.000	6.750	1.740
WGT700-199	0.125	7.000	6.750	1.990
WGT700-200	0.125	7.000	6.750	2.000
WGT700-236	0.125	7.000	6.750	2.360
WGT700-300	0.125	7.000	6.750	3.000
WGT700-312	0.125	7.000	6.750	3.125
WGT725-050	0.125	7.250	7.000	0.500
WGT725-062	0.125	7.250	7.000	0.625
WGT725-075	0.125	7.250	7.000	0.750
WGT725-100	0.125	7.250	7.000	1.000
WGT725-138	0.125	7.250	7.000	1.375
WGT725-199	0.125	7.250	7.000	1.990
WGT725-200	0.125	7.250	7.000	2.000
WGT725-710	0.125	7.250	7.000	7.100
WGT750-050	0.125	7.500	7.250	0.500
WGT750-062	0.125	7.500	7.250	0.625
WGT750-075	0.125	7.500	7.250	0.750
WGT750-100	0.125	7.500	7.250	1.000
WGT750-149	0.125	7.500	7.250	1.490
WGT750-200	0.125	7.500	7.250	2.000
WGT750-236	0.125	7.500	7.250	2.360
WGT750-249	0.125	7.500	7.250	2.490
WGT750-295	0.125	7.500	7.250	2.950
WGT775-050	0.125	7.750	7.500	0.500
WGT775-199	0.125	7.750	7.500	1.990
WGT775-350	0.125	7.750	7.500	3.500
WGT787-100	0.125	7.875	7.625	1.000
WGT800-050	0.125	8.000	7.750	0.500
WGT800-062	0.125	8.000	7.750	0.625
WGT800-075	0.125	8.000	7.750	0.750

GUÍA DE DESGASTE 1/8 ESPESOR "WGT"

N. Parte	CS	DE	DI	H
WGT800-087	0.125	8.000	7.750	0.875
WGT800-100	0.125	8.000	7.750	1.000
WGT800-146	0.125	8.000	7.750	1.460
WGT800-200	0.125	8.000	7.750	2.000
WGT800-500	0.125	8.000	7.750	5.000
WGT825-075	0.125	8.250	8.000	0.750
WGT825-100	0.125	8.250	8.000	1.000
WGT825-125	0.125	8.250	8.000	1.250
WGT825-150	0.125	8.250	8.000	1.500
WGT825-174	0.125	8.250	8.000	1.740
WGT825-175	0.125	8.250	8.000	1.750
WGT825-224	0.125	8.250	8.000	2.240
WGT825-249	0.125	8.250	8.000	2.490
WGT825-274	0.125	8.250	8.000	2.740
WGT825-411	0.125	8.250	8.000	4.110
WGT850-050	0.125	8.500	8.250	0.500
WGT850-062	0.125	8.500	8.250	0.625
WGT850-075	0.125	8.500	8.250	0.750
WGT850-100	0.125	8.500	8.250	1.000
WGT850-150	0.125	8.500	8.250	1.500
WGT850-200	0.125	8.500	8.250	2.000
WGT850-236	0.125	8.500	8.250	2.360
WGT850-237	0.125	8.500	8.250	2.375
WGT850-300	0.125	8.500	8.250	3.000
WGT862-050	0.125	8.625	8.375	0.500
WGT862-100	0.125	8.625	8.375	1.000
WGT875-100	0.125	8.750	8.500	1.000
WGT900-050	0.125	9.000	8.750	0.500
WGT900-062	0.125	9.000	8.750	0.625
WGT900-075	0.125	9.000	8.750	0.750
WGT900-100	0.125	9.000	8.750	1.000
WGT900-150	0.125	9.000	8.750	1.500
WGT900-200	0.125	9.000	8.750	2.000
WGT900-293	0.125	9.000	8.750	2.937
WGT912-100	0.125	9.125	8.875	1.000
WGT925-100	0.125	9.250	9.000	1.000
WGT925-150	0.125	9.250	9.000	1.500
WGT925-225	0.125	9.250	9.000	2.250
WGT950-050	0.125	9.500	9.250	0.500


N. Parte	CS	DE	DI	H
WGT950-062	0.125	9.500	9.250	0.625
WGT950-075	0.125	9.500	9.250	0.750
WGT950-100	0.125	9.500	9.250	1.000
WGT962-150	0.125	9.625	9.375	1.500
WGT975-050	0.125	9.750	9.500	0.500
WGT975-075	0.125	9.750	9.500	0.750
WGT987-050	0.125	9.875	9.625	0.500
WGT1000-025	0.125	10.000	9.750	0.250
WGT100-037	0.125	10.000	9.750	0.375
WGT1000-050	0.125	10.000	9.750	0.500
WGT1000-062	0.125	10.000	9.750	0.625
WGT1000-075	0.125	10.000	9.750	0.750
WGT1000-100	0.125	10.000	9.750	1.000
WGT1000-125	0.125	10.000	9.750	1.250
WGT1000-150	0.125	10.000	9.750	1.500
WGT1000-175	0.125	10.000	9.750	1.750
WGT1000-324	0.125	10.000	9.750	3.240
WGT1025-075	0.125	10.250	10.000	0.750
WGT1025-100	0.125	10.250	10.000	1.000
WGT1025-125	0.125	10.250	10.000	1.250
WGT1050-050	0.125	10.500	10.250	0.500
WGT1050-100	0.125	10.500	10.250	1.000
WGT1050-125	0.125	10.500	10.250	1.250
WGT1050-150	0.125	10.500	10.250	1.500
WGT1050-274	0.125	10.500	10.250	2.740
WGT1050-374	0.125	10.500	10.250	3.740
WGT1050-375	0.125	10.500	10.250	3.750
WGT1050-400	0.125	10.500	10.250	4.000
WGT1100-050	0.125	11.000	10.750	0.500
WGT1100-100	0.125	11.000	10.750	1.000
WGT1100-125	0.125	11.000	10.750	1.250
WGT1100-162	0.125	11.000	10.750	1.625
WGT1100-187	0.125	11.000	10.750	1.875
WGT1125-125	0.125	11.250	11.000	1.250
WGT1150-075	0.125	11.500	11.250	0.750
WGT1150-387	0.125	11.500	11.250	3.875
WGT1200-050	0.125	12.000	11.750	0.500
WGT1200-100	0.125	12.000	11.750	1.000
WGT1200-125	0.125	12.000	11.750	1.250

GUÍA DE DESGASTE 1/8 ESPESOR "WGT"

N. Parte	CS	DE	DI	H
WGT1200-150	0.125	12.000	11.750	1.500
WGT1200-200	0.125	12.000	11.750	2.000
WGT1225-100	0.125	12.250	12.000	1.000
WGT1225-125	0.125	12.250	12.000	1.250
WGT1250-075	0.125	12.500	12.250	0.750
WGT1250-399	0.125	12.500	12.250	3.990
WGT1275-399	0.125	12.750	12.500	3.999
WGT1300-150	0.125	13.000	12.750	1.500
WGT1350-075	0.125	13.500	13.250	0.750
WGT1375-399	0.125	13.750	13.500	3.999
WGT1400-050	0.125	14.000	13.750	0.500

N. Parte	CS	DE	DI	H
WGT1400-100	0.125	14.000	13.750	1.000
WGT1400-125	0.125	14.000	13.750	1.250
WGT1400-150	0.125	14.000	13.750	1.500
WGT1425-399	0.125	14.250	14.000	3.990
WGT1600-050	0.125	16.000	15.750	0.500
WGT1600-100	0.125	16.000	15.750	1.000
WGT1600-150	0.125	16.000	15.750	1.500
WGT1650-100	0.125	16.500	16.250	1.000
WGT1800-050	0.125	18.000	17.750	0.500
WGT2000-050	0.125	20.000	19.750	0.500

GUÍA DE DESGASTE FLEXIBLE



Materiales: PTFE + BR60%
PTFE + FIVI
POLYESTER

MEDIDAS EN PULGADAS

N. Parte	Material	Espesor	Ancho
WFLEX063-0250	PTFE + BR60	0.062	0.250
WFLEX063-0375	PTFE + BR60	0.062	0.375
WFLEX063-0500	PTFE + BR60	0.062	0.500
WFLEX063-0625	PTFE + BR60	0.062	0.625
WFLEX063-0750	PTFE + BR60	0.062	0.750
WFLEX063-1000	PTFE + BR60	0.062	1.000
WFLEX063-1250	PTFE + BR60	0.062	1.250
WFLEX063-1750	PTFE + BR60	0.062	1.750
WFLEX094-0250	PTFE + BR60	0.093	0.250
WFLEX094-0375	PTFE + BR60	0.093	0.375
WFLEX094-0500	PTFE + BR60	0.093	0.500
WFLEX094-0625	PTFE + BR60	0.093	0.625
WFLEX094-0750	PTFE + BR60	0.093	0.750
WFLEX094-1000	PTFE + BR60	0.093	1.000
WFLEX094-1250	PTFE + BR60	0.093	1.250
WFLEX063-1500	PTFE + BR60	0.093	1.500
WFLEX094-1750	PTFE + BR60	0.093	1.750
WFLEX094-2000	PTFE + BR60	0.093	2.000
WFLEX125-0250	PTFE + BR60	0.125	0.250
WFLEX125-0375	PTFE + BR60	0.125	0.375
WFLEX125-0500	PTFE + BR60	0.125	0.500
WFLEX125-0625	PTFE + BR60	0.125	0.625
WFLEX125-0750	PTFE + BR60	0.125	0.750
WFLEX125-1000	PTFE + BR60	0.125	1.000
WFLEX125-1250	PTFE + BR60	0.125	1.250
WFLEX125-1500	PTFE + BR60	0.125	1.500
WFLEX125-1750	PTFE + BR60	0.125	1.750
WFLEX125-2000	PTFE + BR60	0.125	2.000

MEDIDAS EN MILÍMETROS

N. Parte	Material	Espesor	Ancho
WFLEX015-0024	PTFE + BR60	1.55	2.50
FUB29-1.5-3.7	PTFE + BR60	1.50	3.70
FUB01-124937	PTFE + BR60	1.55	4.00
FUB01-126440	PTFE + BR60	1.50	4.10
WFLEX025-0056	PTFE + BR60	2.50	5.50
WFLEX015-0056	PTFE + BR60	1.50	5.60
WFLEX020-0056	PTFE + BR60	2.00	5.60
FUB01-00061	PTFE + BR60	2.50	5.60
FUB01-08.0-01.0	PTFE + BR60	1.00	8.00
FUB01-08.0-02.0	PTFE + BR60	2.00	8.00
FUB01-79408	PTFE + BR60	2.00	9.60
WFLEX015-0097	PTFE + BR60	1.50	9.70
FUB01-00062	PTFE + BR60	2.50	9.70
FUB01-25629	PTFE + BR60	2.00	10.00
FUB01-126914	PTFE + BR60	2.50	10.00
FUB01-83141	PTFE + BR60	3.00	12.00
WFLEX025-0130	PTFE + BR60	2.50	13.00
WFLEX035-0140	PTFE + BR60	3.50	14.00
WFLEX020-0150	PTFE + BR60	2.00	15.00
FUB0100063	PTFE + BR60	2.50	15.00
FUB01-126919	PTFE + BR60	3.00	15.00
WFLEX020-0200	PTFE + BR60	2.00	20.00
FUB01-20-2.5	PTFE + BR60	2.50	20.00
FUB01-82951	PTFE + BR60	3.00	20.00
WFLEX020-0040	POLYESTER	4.00	20.00
WFLEX020-0025	PTFE + BR60	2.00	25.00
FUB01-24.8-2.5	PTFE + BR60	2.50	25.00
FUB01-83142	PTFE + BR60	3.00	25.00