


LIMPIADOR TIPO D



Material: Poliuretano 95 Sh

Dimensiones: Pulgadas

Velocidad: 0.91 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
D-0250	1/4	1/2	1/8
D-0312	5/16	9/16	1/8
D-0375	3/8	5/8	1/8
D-0437	7/16	11/16	1/8
D-0500	1/2	3/4	1/8
D-0562	9/16	13/16	1/8
D-0625	5/8	7/8	1/8
D-0687	11/16	15/16	1/8
D-0750	3/4	1 1/8	3/16
D-0812	13/16	1 3/16	3/16
D-0875	7/8	1 1/4	3/16
D-0937	15/16	1 5/16	3/16
D-1000	1	1 3/8	3/16
D-1062	1 1/16	1 7/16	3/16
D-1125	1 1/8	1 1/2	3/16
D-1187	1 3/16	1 9/16	3/16
D-1250	1 1/4	1 5/8	3/16
D-1312	1 5/16	1 11/16	3/16
D-1375	1 3/8	1 3/4	3/16
D-1500	1 1/2	1 7/8	3/16
D-1562	1 9/16	1 15/16	3/16
D-1625	1 5/8	2	3/16
D-1750	1 3/4	2 1/8	3/16
D-1875	1 7/8	2 1/4	3/16
D-1937	1 15/16	2 5/16	1/4
D-2000	2	2 1/2	1/4
D-2125	2 1/8	2 5/8	1/4
D-2250	2 1/4	2 3/4	1/4
D-2312	2 5/16	2 13/16	1/4
D-2375	2 3/8	2 7/8	1/4
D-2500	2 1/2	3	1/4
D-2562	2 9/16	3 1/16	1/4


N. Parte	DI	DE	H
D-2625	2 5/8	3 1/8	1/4
D-2750	2 3/4	3 1/4	1/4
D-2875	2 7/8	3 3/8	1/4
D-3000	3	3 1/2	1/4
D-3125	3 1/8	3 5/8	1/4
D-3250	3 1/4	3 3/4	1/4
D-3375	3 3/8	3 7/8	1/4
D-3500	3 1/2	4	1/4
D-3625	3 5/8	4 1/8	1/4
D-3750	3 3/4	4 1/4	1/4
D-3875	3 7/8	4 3/8	1/4
D-4000	4	4 1/2	1/4
D-4125	4 1/8	4 5/8	1/4
D-4250	4 1/4	4 3/4	1/4
D-4375	4 3/8	4 7/8	1/4
D-4500	4 1/2	5 1/4	3/8
D-4625	4 5/8	5 3/8	3/8
D-4750	4 3/4	5 1/2	3/8
D-4875	4 7/8	5 5/8	3/8
D-5000	5	5 3/4	3/8
D-5125	5 1/8	5 7/8	3/8
D-5250	5 1/4	6	3/8
D-5375	5 3/8	6 1/8	3/8
D-5500	5 1/2	6 1/4	3/8
D-5625	5 5/8	6 3/8	3/8
D-5750	5 3/4	6 1/2	3/8
D-6000	6	6 3/4	3/8
D-6250	6 1/4	7	3/8
D-6375	6 3/8	7 1/8	3/8
D-6500	6 1/2	7 1/4	3/8
D-6750	6 3/4	7 1/2	3/8
D-6875	6 7/8	7 5/8	3/8

LIMPIADOR TIPO D

N. Parte	DI	DE	H
D-7000	7	7 3/4	3/8
D-7250	7 1/4	8	3/8
D-7500	7 1/2	8 1/4	3/8
D-7750	7 3/4	8 1/2	3/8
D-8000	8	8 3/4	3/8
D-8250	8 1/4	9	3/8
D-8500	8 1/2	9 1/4	3/8
D-8750	8 3/4	9 1/2	3/8
D-9000	9	9 3/4	3/8
D-9500	9 1/2	10 1/4	3/8

N. Parte	DI	DE	H
D-9750	9 3/4	10 1/2	3/8
D-10000	10	11	1/2
D-10500	10 1/2	11 1/2	1/2
D-10625	10 5/8	11 5/8	1/2
D-11000	11	12	1/2
D-11500	11 1/2	12 1/2	1/2
D-12000	12	13	1/2
D-13750	13 3/4	14 3/4	1/2
D-14000	14	15	1/2
D-15750	15 3/4	16 3/4	1/2

LIMPIADOR TIPO D (AD42)



Material: Poliuretano 95 Sh
Dimensiones: Milimétricos
Velocidad: 0.91 mt/seg
Rango de Operación: -40°C a 93°C

N. Parte	DI	DE	H
A42-005-012-02.5	5.00	12.00	2.50
A42-008-014-03.5	8.00	14.00	3.50
A42-012-018-03.5	12.00	18.00	3.50
A42-014-020-03.5	14.00	20.00	3.50
A42-015-021-03.5	15.00	21.00	3.50
A42-016-022-02.8	16.00	22.00	2.80
A42-016-022-03.0	16.00	22.00	3.00
A42-016-022-03.5	16.00	22.00	3.50
A42-018-024-03.5	18.00	24.00	3.50
A42-018-026-05.0	18.00	26.00	5.00
A42-020-026-03.2	20.00	26.00	3.20
A42-020-028-04.8	20.00	28.00	4.80
A42-020-028-05.0	20.00	28.00	5.00
A42-022-030-05.0	22.00	30.00	5.00
A42-025-033-04.8	25.00	33.00	4.80
A42-025-033-05.0	25.00	33.00	5.00
A42-028-036-05.0	28.00	36.00	5.00
A42-030-038-05.0	30.00	38.00	5.00
A42-030-040-02.8	30.00	40.00	2.80
A42-032-040-03.5	32.00	40.00	3.50
A42-032-040-05.0	32.00	40.00	5.00
A42-035-040-03.5	35.00	40.00	3.50
A42-035-043-05.0	35.00	43.00	5.00
A42-035-045-03.8	35.00	45.00	3.80
A42-036-044-05.0	36.00	44.00	5.00
A42-040-048-04.0	40.00	48.00	4.00
A42-040-048-05.0	40.00	48.00	5.00
A42-040-050-05.0	40.00	50.00	5.00
A42-040-050-07.0	40.00	50.00	7.00
A42-042-050-04.0	42.00	50.00	4.00
A42-042-050-05.0	42.00	50.00	5.00
A42-045-053-05.0	45.00	53.00	5.00


N. Parte	DI	DE	H
A42-045-055-05.0	45.00	55.00	5.00
A42-045-060-04.0	45.00	60.00	4.00
A42-046-054-05.0	46.00	54.00	5.00
A42-047-053-05.0	47.00	53.00	5.00
A42-050-058-05.0	50.00	58.00	5.00
A42-050-060-05.0	50.00	60.00	5.00
A42-050-060-07.0	50.00	60.00	7.00
A42-050-065-04.0	50.00	65.00	4.00
A42-053-061-05.0	53.00	61.00	5.00
A42-055-063-05.0	55.00	63.00	5.00
A42-055-065-05.0	55.00	65.00	5.00
A42-060-068-05.0	60.00	68.00	5.00
A42-060-070-05.0	60.00	70.00	5.00
A42-060-070-05.2	60.00	70.00	5.20
A42-060-070-07.0	60.00	70.00	7.00
A42-063-071-05.0	63.00	71.00	5.00
A42-063-071.6-05.0	63.00	71.60	5.00
A42-063-073-05.0	63.00	73.00	5.00
A42-063-073-06.1	63.00	73.00	6.10
A42-063-073-06.3	63.00	73.00	6.30
A42-065-073-05.0	65.00	73.00	5.00
A42-065-075-05.0	65.00	75.00	5.00
A42-065-076-05.8	65.00	76.00	5.80
A42-065-077-07.0	65.00	77.00	7.00
A42-070-078-05.0	70.00	78.00	5.00
A42-070-080-05.0	70.00	80.00	5.00
A42-70-80-6WC/U	70.00	80.00	6.00
A42-070-082-07.0	70.00	82.00	7.00
A42-073-081-05.0	73.00	81.00	5.00
A42-073-083-07.0	73.00	83.00	7.00
A42-075-087-07.0	75.00	87.00	7.00
A42-078-086-05.0	78.00	86.00	5.00

LIMPIADOR TIPO D (AD42)

N. Parte	DI	DE	H
A42-078-088-05.2	78.00	88.00	5.20
A42-078-092-07.0	78.00	92.00	7.00
A42-080-088-05.0	80.00	88.00	5.00
A42-080-092-07.0	80.00	92.00	7.00
A42-085-093-05.0	85.00	93.00	5.00
A42-085-095-06.0	85.00	95.00	6.00
A42-085-097-07.0	85.00	97.00	7.00
A42-090-098-05.0	90.00	98.00	5.00
A42-090-100-06.3	90.00	100.00	6.30
A42-090-102-05.8	90.00	102.00	5.80
A42-090-102-07.0	90.00	102.00	7.00
A42H-090-102.2-7.10	90.00	102.20	7.10
A42-095-107-07.0	95.00	107.00	7.00
A42-097-105-04.7	97.00	105.00	4.70
A42-100-112-07.0	100.00	112.00	7.00
A42-100-115-09.5	100.00	115.00	9.50
A42-105-117-07.0	105.00	117.00	7.00
A42-105-120.4-07.5	105.00	120.40	7.50
A42-110-122-07.0	110.00	122.00	7.00
A42H-110-122.2-7.10	110.00	122.20	7.10
A42-115-127-07.0	115.00	127.00	7.00
A42-118-126-04.7	118.00	126.00	4.70
A42-120-128-05.0	120.00	128.00	5.00

N. Parte	DI	DE	H
A42-120-130-05.0	120.00	130.00	5.00
A42-125-137-07.0	125.00	137.00	7.00
A42-125-140-10.0	125.00	140.00	10.00
A42-128-140-07.0	128.00	140.00	7.00
A42-135-147-07.0	135.00	147.00	7.00
A42-140-148-05.0	140.00	148.00	5.00
A42-140-152-07.0	140.00	152.00	7.00
A42-140-155-08.7	140.00	155.00	8.70
A42-140-155-10.0	140.00	155.00	10.00
A42-143-151-05.2	143.00	151.00	5.20
A42-145-157-07.0	145.00	157.00	7.00
A42-150-162-07.0	150.00	162.00	7.00
A42-150-165-10.0	150.00	165.00	10.00
A42-160-172-07.0	160.00	172.00	7.00
A42-160-175-10.0	160.00	175.00	10.00
A42-170-185-10.0	170.00	185.00	10.00
A42-180-195-10.0	180.00	195.00	10.00
A42-180-200-10.0	180.00	200.00	10.00
A42-190-210-10.0	190.00	210.00	10.00
A42-200-215-10.0	200.00	215.00	10.00
A42-200-220-10.0	200.00	220.00	10.00
A42-210-225-10.0	210.00	225.00	10.00
A42-240-255-10.0	240.00	255.00	10.00

LIMPIADOR TIPO AN



Material: Poliuretano 95 Sh

Dimensiones: Pulgadas

Velocidad: 0.91 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
AN-01	1/2	0.760	0.104
AN-02	9/16	0.823	0.104
AN-03	5/8	0.885	0.104
AN-04	11/16	0.948	0.104
AN-05	3/4	1.010	0.104
AN-06	13/16	1.084	0.104
AN-07	7/8	1.147	0.104
AN-08	15/16	1.209	0.104
AN-09	1	1.272	0.104
AN-10	1 1/16	1.334	0.104
AN-11	1 1/8	1.397	0.104
AN-12	1 3/16	1.459	0.104
AN-13	1 1/4	1.522	0.104
AN-14	1 5/16	1.614	0.104
AN-15	1 3/8	1.677	0.104
AN-16	1 7/16	1.739	0.104
AN-17	1 1/2	1.802	0.104
AN-17.5	1 9/16	1.865	0.104
AN-18	1 5/8	1.927	0.104
AN-19	1 3/4	2.052	0.104
AN-19.5	1 13/16	2.115	0.104
AN-20	1 7/8	2.177	0.104
AN-21	2	2.302	0.104
AN-21.5	2 1/16	2.365	0.104
AN-22	2 1/8	2.427	0.104
AN-23	2 1/4	2.552	0.104
AN-23.5	2 5/16	2.615	0.104
AN-24	2 3/8	2.677	0.104


N. Parte	DI	DE	H
AN-24.5	2 7/16	2.740	0.104
AN-25	2 1/2	2.802	0.104
AN-25.5	2 9/16	2.865	0.104
AN-26	2 5/8	2.989	0.119
AN-27	2 3/4	3.114	0.119
AN-28	2 7/8	3.239	0.119
AN-29	3	3.364	0.119
AN-30	3 1/8	3.489	0.119
AN-31	3 1/4	3.614	0.119
AN-32	3 3/8	3.729	0.119
AN-33	3 1/2	3.864	0.119
AN-34	3 5/8	3.989	0.119
AN-35	3 3/4	4.114	0.119
AN-36	3 7/8	4.239	0.119
AN-37	4	4.427	0.135
AN-38	4 1/8	4.552	0.135
AN-39	4 1/4	4.677	0.135
AN-40	4 3/8	4.802	0.135
AN-41	4 1/2	4.927	0.135
AN-42	4 5/8	5.052	0.135
AN-43	4 3/4	5.177	0.135
AN-44	4 7/8	5.302	0.135
AN-45	5	5.427	0.135
AN-46	5 1/8	5.552	0.135
AN-47	5 1/4	5.677	0.135
AN-48	5 3/8	5.802	0.135
AN-49	5 1/2	5.927	0.135
AN-50	5 5/8	6.114	0.151

LIMPIADOR TIPO AN

N. Parte	DI	DE	H
AN-51	5 3/4	6.239	0.151
AN-52	5 7/8	6.364	0.151
AN-53	6	6.489	0.151
AN-54	6 1/4	6.739	0.151
AN-55	6 1/2	6.989	0.151
AN-56	6 3/4	7.239	0.151
AN-57	7	7.484	0.151
AN-58	7 1/4	7.739	0.151
AN-59	7 1/2	7.989	0.151
AN-60	7 3/4	8.247	0.151
AN-61	8	8.464	0.151
AN-62	8 1/2	8.989	0.151

N. Parte	DI	DE	H
AN-62.5	8 3/4	9.239	0.151
AN-63	9.00	9.489	0.151
AN-64	9 1/2	9.989	0.151
AN-65	10	10.497	0.151
AN-66	10 1/2	10.997	0.151
AN-67	11	11.497	0.151
AN-68	11 1/2	11.997	0.151

LIMPIADOR TIPO AD48



Material: Poliuretano 90 Sh

Dimensiones: Pulgadas


Velocidad: ≤ 1 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
AD48-0375-PU901T	0.375	0.687	0.194
AD48-0500-PU901T	0.500	0.812	0.194
AD48-0625-PU901T	0.625	0.937	0.194
AD48-0750-PU901T	0.750	1.062	0.194
AD48-0875-PU901T	0.875	1.250	0.212
AD48-1000-PU901T	1.000	1.375	0.212
AD48-1125-PU901T	1.125	1.500	0.212
AD48-1250-PU901T	1.250	1.625	0.212
AD48-1375-PU901T	1.375	1.750	0.212
AD48-1500-PU901T	1.500	1.875	0.212
AD48-1625-PU901T	1.625	2.000	0.212
AD48-1750-PU901T	1.750	2.125	0.212
AD48-1875-PU901T	1.875	2.250	0.212
AD48-2000-PU901T	2.000	2.375	0.212
AD48-2125-PU901T	2.125	2.500	0.212
AD48-2250-PU901T	2.250	2.750	0.275
AD48-2375-PU901T	2.375	2.875	0.275
AD48-2500-PU901T	2.500	3.000	0.275
AD48-2625-PU901T	2.625	3.125	0.275
AD48-2750-PU901T	2.750	3.250	0.275
AD48-2875-PU901T	2.875	3.375	0.275
AD48-3000-PU901T	3.000	3.500	0.275
AD48-3125-PU901T	3.125	3.625	0.275
AD48-3250-PU901T	3.250	3.750	0.275

N. Parte	DI	DE	H
AD48-3375-PU901T	3.375	3.875	0.275
AD48-3500-PU901T	3.500	4.000	0.275
AD48-3625-PU901T	3.625	4.125	0.275
AD48-3687-PU901T	3.687	4.187	0.275
AD48-3750-PU901T	3.750	4.250	0.275
AD48-3875-PU901T	3.875	4.375	0.275
AD48-4000-PU901T	4.000	4.500	0.275
AD48-4125-PU901T	4.125	4.625	0.275
AD48-4250-PU901T	4.250	4.750	0.275
AD48-4375-PU901T	4.375	4.875	0.275
AD48-4500-PU901T	4.500	5.000	0.275
AD48-4625-PU901T	4.625	5.125	0.275
AD48-4750-PU901T	4.750	5.250	0.275
AD48-4875-PU901T	4.875	5.375	0.275
AD48-5000-PU901T	5.000	5.500	0.275
AD48-5250-PU901T	5.250	5.750	0.275
AD48-5500-PU901T	5.500	6.000	0.275
AD48-5750-PU901T	5.750	6.250	0.275
AD48-6000-PU901T	6.000	6.500	0.275
AD48-6250-PU901T	6.250	6.750	0.275
AD48-6500-PU901T	6.500	7.000	0.275
AD48-6750-PU901T	6.750	7.250	0.275
AD48-7000-PU901T	7.000	7.500	0.275

LIMPIADOR TIPO AD48 MILIMÉTRICO




Material: Poliuretano 90 Sh
Dimensiones: Milimétricos
Velocidad: ≤ 1 mt/seg
Rango de Operación: -40°C a 100°C

N. Parte	DI	DE	H
AD48-012-018-03.6	12.00	18.00	3.60
AD48-014-020-03.6	14.00	20.00	3.60
AD48-016-024-04.5	16.00	24.00	4.50
AD48-018-024-03.6	18.00	24.00	3.60
AD48-018-026-04.5	18.00	26.00	4.50
AD48-020-026-03.5	20.00	26.00	3.50
AD48-020-028-04.5	20.00	28.00	4.50
AD48-020-028-05.0	20.00	28.00	5.00
AD48-022-028-03.6	22.00	28.00	3.60
AD48-022-030-04.5	22.00	30.00	4.50
AD48-022-030-05.0	22.00	30.00	5.00
AD48-025-031-03.6	25.00	31.00	3.60
AD48-025-033-04.5	25.00	33.00	4.50
AD48-025-033-05.0	25.00	33.00	5.00
AD48-028-036-04.5	28.00	36.00	4.50
AD48-028-036-05.0	28.00	36.00	5.00
AD48-030-038-04.5	30.00	38.00	4.50
AD48-030-038-05.0	30.00	38.00	5.00
AD48-031.5-039.5-5.00	31.50	39.50	5.00
AD48-032-040-04.5	32.00	40.00	4.50
AD48-032-040-05.0	32.00	40.00	5.00
AD48-035-043-05.0	35.00	43.00	5.00
AD48-035.5-043.5-05	35.50	43.50	5.00
AD48-036-044-04.0	36.00	44.00	4.00
AD48-036-044-04.5	36.00	44.00	4.50
AD48-036-044-05.0	36.00	44.00	5.00
AD48-040-048-04.5	40.00	48.00	4.50
AD48-040-048-05.0	40.00	48.00	5.00
AD48-040-050.06-04.6	40.00	50.06	4.60
AD48-045-053-04.5	45.00	53.00	4.50
AD48-045-053-05.0	45.00	53.00	5.00
AD48-045-055-05.0	45.00	55.00	5.00
AD48-050-058-04.5	50.00	58.00	4.50
AD48-050-058-05.0	50.00	58.00	5.00

N. Parte	DI	DE	H
AD48-050-060-05.0	50.00	60.00	5.00
AD48-055-063-05.0	55.00	63.00	5.00
AD48-055-065-05.0	55.00	65.00	5.00
AD48-056-064-05.0	56.00	64.00	5.00
AD48-056-066-05.3	56.00	66.00	5.30
AD48-060-068-05.0	60.00	68.00	5.00
AD48-060-070-05.0	60.00	70.00	5.00
AD48-063-071-05.0	63.00	71.00	5.00
AD48-063-073-05.0	63.00	73.00	5.00
AD48-065-073-05.0	65.00	73.00	5.00
AD48-070-080-05.0	70.00	80.00	5.00
AD48-075-083-05.0	75.00	83.00	5.00
AD48-075-085-05.0	75.00	85.00	5.00
AD48-075-087-07.0	75.00	87.00	7.00
AD48-080-090-05.3	80.00	90.00	5.30
AD48-080-090-06.0	80.00	90.00	6.00
AD48-080-092-07.0	80.00	92.00	7.00
AD48-085-095-06.0	85.00	95.00	6.00
AD48-085-097-07.0	85.00	97.00	7.00
AD48-090-100-05.3	90.00	100.00	5.30
AD48-090-102-07.0	90.00	102.00	7.00
AD48-095-107-07.0	95.00	107.00	7.00
AD48-100-110-06.0	100.00	110.00	6.00
AD48-100-112-07.0	100.00	112.00	7.00
AD48-110-122-07.0	110.00	122.00	7.00
AD48-110-125-07.5	110.00	125.00	7.50
AD48-115-127-07.0	115.00	127.00	7.00
AD48-135-147-07.0	135.00	147.00	7.00
AD48-140-155-07.5	140.00	155.00	7.50
AD48-155-167-07.0	155.00	167.00	7.00
AD48-160-172-07.0	160.00	172.00	7.00
AD48-185-197-07.0	185.00	197.00	7.00
AD48-215-227-07.0	215.00	227.00	7.00

LIMPIADOR TIPO A47 MILIMÉTRICO



Material: Poliuretano 90 Sh

Dimensiones: Milimétricos


Velocidad: ≤ 2 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
A47-010-018-04.0	10	10	4
A47-016-024-04.0	16	16	4
A47-018-026-04.0	18	18	4
A47-020-028-04.0	20	20	4
A47-022-030-04.0	22	22	4
A47-025-033-04.0	25	25	4
A47-028-036-04.0	28	28	4
A47-030-038-04.0	30	30	4
A47-032-040-04.0	32	32	4
A47-035-043-04.0	35	35	4
A47-036-044-04.0	36	36	4
A47-038-046-04.0	38	38	4
A47-040-048-04.0	40	40	4
A47-045-053-04.0	45	45	4
A47-050-058-04.0	50	50	4

N. Parte	DI	DE	H
A47-055-063-04.0	55	55	4
A47-056-064-04.0	56	56	4
A47-060-068-04.0	60	60	4
A47-063-071-04.0	63	63	4
A47-065-073-04.0	65	65	4
A47-070-078-04.0	70	70	4
A47-075-083-04.0	75	75	4
A47-080-088-04.0	80	80	4
A47-085-093-04.0	85	85	4
A47-100-108-04.0	100	100	4
A47-100-108-7	100	108	7
A47-110-122-05.5	110	110	5.5
A47-150-162-05.5	150	150	5.5
A47-180-192-05.5	180	180	5.5

LIMPIADOR TIPO AM54



Material: Poliuretano 95 Sh/metal

Dimensiones: Pulgadas

Velocidad: ≤ 1 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
AM54-0375-0687-156	0.375	0.687	0.156
AM54-0500-1000-250	0.500	1.000	0.250
AM54-0625-0937-187	0.625	0.937	0.187
AM54-0625-1125-312	0.625	1.125	0.312
AM54-0750-1250-250	0.750	1.250	0.250
AM54-0750-1250-312	0.750	1.250	0.312
AM54-0875-1125-125	0.875	1.125	0.125
AM54-0875-1125-156	0.875	1.125	0.156
AM54-0875-1375-312	0.875	1.375	0.312
AM54-1000-1250-125	1.000	1.250	0.125
AM54-1000-1375-187	1.000	1.375	0.187
AM54-1000-1500-312	1.000	1.500	0.312
AM54-1062-1575-312	1.062	1.575	0.312
AM54-1125-1500-187	1.125	1.500	0.187
AM54-1125-1625-312	1.125	1.625	0.312
AM54-1187-1625-250	1.187	1.625	0.250
AM54-1250-1625-125	1.250	1.625	0.125
AM54-1250-1625-187	1.250	1.625	0.187
AM54-1250-1687-187	1.250	1.687	0.187
AM54-1250-1750-250 SHA	1.250	1.750	0.250
AM54-1250-1750-312	1.250	1.750	0.312
AM54-1250-2062-312	1.250	2.062	0.312
AM54-1375-1750-187	1.375	1.750	0.187
AM54-1375-1875-312	1.375	1.875	0.312
AM54-1500-1875-125	1.500	1.875	0.125
AM54-1500-1875-150	1.500	1.875	0.150
AM54-1500-1875-250	1.500	1.875	0.250
AM54-1500-1875-312	1.500	1.875	0.312
AM54-1500-1969-125	1.500	1.969	0.125
AM54-1500-2000-250	1.500	2.000	0.250
AM54-1500-2000-312	1.500	2.000	0.312
AM54-1500-2125-312	1.500	2.125	0.312


N. Parte	DI	DE	H
AM54-1500-2250-250	1.500	2.250	0.250
AM54-1500-2250-312	1.500	2.250	0.312
AM54-1500-2250-375	1.500	2.250	0.375
AM54-1625-1875-125	1.625	1.875	0.125
AM54-1625-2125-250	1.625	2.125	0.250
AM54-1625-2125-312	1.625	2.125	0.312
AM54-1750-2125-125	1.750	2.125	0.125
AM54-1750-2125-187	1.750	2.125	0.187
AM54-1750-2250-125	1.750	2.250	0.125
AM54-1750-2250-187	1.750	2.250	0.187
AM54-1750-2250-250	1.750	2.250	0.250
AM54-1750-2250-312	1.750	2.250	0.312
AM54-1750-2375-250	1.750	2.375	0.250
AM54-1750-2437-375	1.750	2.437	0.375
AM54-1750-2500-375	1.750	2.500	0.375
AM54-1875-2375-312	1.875	2.375	0.312
AM54-1875-2562-375	1.875	2.562	0.375
AM54-2000-2325-187	2.000	2.325	0.187
AM54-2000-2375-187	2.000	2.375	0.187
AM54-2000-2375-250	2.000	2.375	0.250
AM54-2000-2500-187	2.000	2.500	0.187
AM54-2000-2500-250	2.000	2.500	0.250
AM54-2000-2500-312	2.000	2.500	0.312
AM54-2000-2625-250	2.000	2.625	0.250
AM54-2000-2686-375	2.000	2.686	0.375
AM54-2000-2750-375	2.000	2.750	0.375
AM54-2125-2500-125	2.125	2.500	0.125
AM54-2125-2625-250	2.125	2.625	0.250
AM54-2125-2625-312	2.125	2.625	0.312
AM54-2125-2875-375	2.125	2.875	0.375
AM54-2187-2687-375	2.187	2.687	0.375
AM54-2250-2750-187	2.250	2.750	0.187

LIMPIADOR TIPO AM54

N. Parte	DI	DE	H
AM54-2250-2750-250	2.250	2.750	0.250
AM54-2250-2750-312	2.250	2.750	0.312
AM54-2250-2875-250	2.250	2.875	0.250
AM54-2250-2997-375	2.250	2.997	0.375
AM54-2250-3000-250	2.250	3.000	0.250
AM54-2250-3000-375	2.250	3.000	0.375
AM54-2312-3125-375	2.312	3.125	0.375
AM54-2375-2875-312	2.375	2.875	0.312
AM54-2375-3125-375	2.375	3.125	0.375
AM54-2500-2875-125	2.500	2.875	0.125
AM54-2500-2875-187	2.500	2.875	0.187
AM54-2500-3000-187	2.500	3.000	0.187
AM54-2500-3000-312	2.500	3.000	0.312
AM54-2500-3125-250	2.500	3.125	0.250
AM54-2500-3187-375	2.500	3.187	0.375
AM54-2500-3250-250	2.500	3.250	0.250
AM54-2500-3250-375	2.500	3.250	0.375
AM54-2625-3125-250	2.625	3.125	0.250
AM54-2625-3125-312	2.625	3.125	0.312
AM54-2750-3250-187	2.750	3.250	0.187
AM54-2750-3250-312	2.750	3.250	0.312
AM54-2750-3500-250	2.750	3.500	0.250
AM54-2750-3500-375	2.750	3.500	0.375
AM54-2750-3500-500	2.750	3.500	0.500
AM54-2750-3750-500	2.750	3.750	0.500
AM54-2760-3260-312	2.760	3.260	0.312
AM54-2875-3375-312	2.875	3.375	0.312
AM54-3000-3500-312	3.000	3.500	0.312
AM54-3000-3750-250	3.000	3.750	0.250
AM54-3000-3750-375	3.000	3.750	0.375
AM54-3000-4000-500	3.000	4.000	0.500
AM54-3125-3625-187	3.125	3.625	0.187
AM54-3125-3750-312	3.125	3.750	0.312
AM54-3125-3750-375	3.125	3.750	0.375
AM54-3250-3750-312	3.250	3.750	0.312
AM54-3250-3750-375	3.250	3.750	0.375
AM54-3250-3875-312	3.250	3.875	0.312
AM54-3250-4000-250	3.250	4.000	0.250
AM54-3250-4250-500	3.250	4.250	0.500
AM54-3375-4000-312	3.375	4.000	0.312

N. Parte	DI	DE	H
AM54-3500-3875-187	3.500	3.875	0.187
AM54-3500-4000-312	3.500	4.000	0.312
AM54-3500-4000-375	3.500	4.000	0.375
AM54-3500-4125-250	3.500	4.125	0.250
AM54-3500-4125-312	3.500	4.125	0.312
AM54-3500-4250-250	3.500	4.250	0.250
AM54-3500-4250-312	3.500	4.250	0.312
AM54-3500-4500-500	3.500	4.500	0.500
AM54-3750-4250-312	3.750	4.250	0.312
AM54-3750-4375-312	3.750	4.375	0.312
AM54-3750-4500-312	3.750	4.500	0.312
AM54-3750-4750-500	3.750	4.750	0.500
AM54-4000-4625-312	4.000	4.625	0.312
AM54-4000-4750-312	4.000	4.750	0.312
AM54-4000-5000-500	4.000	5.000	0.500
AM54-4125-4750-312	4.125	4.750	0.312
AM54-4250-4750-187	4.250	4.750	0.187
AM54-4250-4750-312	4.250	4.750	0.312
AM54-4250-4875-312	4.250	4.875	0.312
AM54-4250-5250-500	4.250	5.250	0.500
AM54-4375-5000-312	4.375	5.000	0.312
AM54-4500-5125-312	4.500	5.125	0.312
AM54-4500-5250-312	4.500	5.250	0.312
AM54-4500-5500-500	4.500	5.500	0.500
AM54-4750-5375-312	4.750	5.375	0.312
AM54-4750-5750-500	4.750	5.750	0.500
AM54-5000-5625-312	5.000	5.625	0.312
AM54-5000-5750-312	5.000	5.750	0.312
AM54-5000-6000-500	5.000	6.000	0.500
AM54-5250-6000-312	5.250	6.000	0.312
AM54-5500-6125-375	5.500	6.125	0.375
AM54-5750-6375-375	5.750	6.375	0.375
AM54-6000-6625-375	6.000	6.625	0.375
AM54-6000-6750-375	6.000	6.750	0.375
AM54-7000-7750-312	7.000	7.750	0.312
AM54-8000-8750-375	8.000	8.750	0.375
AM54-8125-8625-312	8.125	8.625	0.312

LIMPIADOR TIPO AM54 MILIMÉTRICO



Material: Poliuretano 95 Sh / metal

Dimensiones: Milimétrico

Velocidad: ≤ 1 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
AM54-16-23-5	16.00	23.00	5.00
AM54-016-023-05.0	16.00	23.00	5.00
AM54-25-38-7.5	25.00	38.00	7.50
AM54-025-038-07.5	25.00	38.00	7.50
AM54-030-040-04.0	30.00	40.00	4.00
AM54-030-043-07.5	30.00	43.00	7.50
AM54-035-050-07.5	35.00	50.00	7.50
AM54-035-050-09.0	35.00	50.00	9.00
AM54-038-050-07.5	38.00	50.00	7.50
AM54-038.01-050.8-06.35	38.01	50.80	6.35
AM54-040-052-07.0	40.00	52.00	7.00
AM54-040-055-09.0	40.00	55.00	9.00
AM54-041.27-053.97-06.35	41.27	53.97	6.35
AM54-045-055-03.2	45.00	55.00	3.20
AM54-45-55-4	45.00	55.00	4.00
AM54-045-055-04.0	45.00	55.00	4.00
AM54-045-057-07.0	45.00	57.00	7.00
AM54-045-060-07.5	45.00	60.00	7.50
AM54-045-060-09.0	45.00	60.00	9.00
AM54-050-060-04.0	50.00	60.00	4.00
AM54-050-060-05.0	50.00	60.00	5.00
AM54-050-060-07.0	50.00	60.00	7.00
AM54-50-62-7	50.00	62.00	7.00
AM54-050-062-07.0	50.00	62.00	7.00
AM54-050-065-07.5	50.00	65.00	7.50
AM54-055-069-08.0	55.00	69.00	8.00
AM54-055-070-07.5	55.00	70.00	7.50
AM54-56-71-9	56.00	71.00	9.00
AM54-060-070-05.0	60.00	70.00	5.00
AM54-060-070-07.0	60.00	70.00	7.00
AM54-60-74-8	60.00	74.00	8.00
AM54-060-074-08.0	60.00	74.00	8.00


N. Parte	DI	DE	H
AM54-075-090-08.0	75.00	90.00	8.00
AM54-080-090-07.0	80.00	90.00	7.00
AM54-080-094-08.0	80.00	94.00	8.00
AM54-080-095-05.0	80.00	95.00	5.00
AM54-080-095-07.5	80.00	95.00	7.50
AM54-085-099-08.0	85.00	99.00	8.00
AM54-085-100-08.0	85.00	100.00	8.00
AM54-085-105-10.0	85.00	105.00	10.00
AM54-90-100-7	90.00	100.00	7.00
AM54-090-100-07.0	90.00	100.00	7.00
AM54-090-104-08.0	90.00	104.00	8.00
AM54-090-105-06.0	90.00	105.00	6.00
AM54-90-106-8	90.00	106.00	8.00
AM54-090-106-08.0	90.00	106.00	8.00
AM54-90-110-10	90.00	110.00	10.00
AM54-090-110-10.0	90.00	110.00	10.00
AM54-095-109-08.0	95.00	109.00	8.00
AM54-095-110-08.0	95.00	110.00	8.00
AM54-100-114-8	100.00	114.00	8.00
AM54-100-114-08.0	100.00	114.00	8.00
AM54-100-115-07.5	100.00	115.00	7.50
AM54-100-115-8	100.00	115.00	8.00
AM54-100-115-08.0	100.00	115.00	8.00
AM54-100-115-9	100.00	115.00	9.00
AM54-100-115-09.0	100.00	115.00	9.00
AM54-100-116-08.0	100.00	116.00	8.00
AM54-100-120-04.0	100.00	120.00	4.00
AM54-100-120-10.0	100.00	120.00	10.00
AM54-105X121X09.0	105.00	121.00	9.00
AM54-110-125-08.0	110.00	125.00	8.00
AM54-110-125-09.0	110.00	125.00	9.00
AM54-110-126-09.0	110.00	126.00	9.00

LIMPIADOR TIPO AM54 MILIMÉTRICO

N. Parte	DI	DE	H
AM54-060-075-05.0	60.00	75.00	5.00
AM54-060-075-07.5	60.00	75.00	7.50
AM54-063-078-07.5	63.00	78.00	7.50
AM54-65-75-7	65.00	75.00	7.00
AM54-065-075-07.0	65.00	75.00	7.00
AM54-65-79-8	65.00	79.00	8.00
AM54-065-079-08.0	65.00	79.00	8.00
AM54-065-080-07.5	65.00	80.00	7.50
AM54-070-080-07.0	70.00	80.00	7.00
AM54-070-084-07.5	70.00	84.00	7.50
AM54-070-084-08.0	70.00	84.00	8.00
AM54-070-085-07.0	70.00	85.00	7.00
AM54-070-085-07.5	70.00	85.00	7.50
AM54-075-089-08.0	75.00	89.00	8.00
AM54-075-090-07.5	75.00	90.00	7.50

N. Parte	DI	DE	H
AM54-110-130-10.0	110.00	130.00	10.00
AM54-115-130-08.0	115.00	130.00	8.00
AM54-120-135-08.0	120.00	135.00	8.00
AM54-120-136-09.0	120.00	136.00	9.00
AM54-120-140-10.0	120.00	140.00	10.00
AM54-120-150-12.0	120.00	150.00	12.00
AM54-125-140-09.0	125.00	140.00	9.00
AM54-130-145-07.5	130.00	145.00	7.50
AM54-130-146-09.0	130.00	146.00	9.00
AM54-130-150-08.0	130.00	150.00	8.00
AM54-130-150-10.0	130.00	150.00	10.00
AM54-130-154-08.0	130.00	154.00	8.00
AM54-130-160-12.0	130.00	160.00	12.00
AM54-140-160-10.0	140.00	160.00	10.00
AM54-150-170-10.0	150.00	170.00	10.00


LIMPIADOR TIPO AM44



Material: PU 95Sh/Metal
Dimensiones: Pulgadas
Velocidad: ≤ 1 mt/seg
Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
AM44-1000-1375-187	1.000	1.375	0.187
AM44-1125-1500-187	1.125	1.500	0.187
AM44-1250-1625-187	1.250	1.625	0.187
AM44-1500-1875-187	1.500	1.875	0.187
AM44-1750-2125-187	1.750	2.125	0.187
AM44-2000-2375-187	2.000	2.375	0.187
AM44-2250-2625-187	2.250	2.625	0.187
AM44-2500-2875-187	2.500	2.875	0.187
AM44-2750-3125-187	2.750	3.125	0.187
AM44-3000-3375-187	3.000	3.375	0.187

LIMPIADOR TIPO AM44 MILIMÉTRICO



Material: Poliuretano 95Sh/Metal

Dimensiones: Milimétricos

Velocidad: ≤ 1 mt/seg

Rango de Operación: -40°C a 100°C

N. Parte	DI	DE	H
AM44-008-014-03.5	8.00	14.00	3.50
AM44-008-018-05.0	8.00	18.00	5.00
AM44-009-019-05.0	9.00	19.00	5.00
AM44-010-016-03.5	10.00	16.00	3.50
AM44-010-020-05.0	10.00	20.00	5.00
AM44-012-018-03.5	12.00	18.00	3.50
AM44-012-020-04.0	12.00	20.00	4.00
AM44-012-022-05.0	12.00	22.00	5.00
AM44-014-020-03.5	14.00	20.00	3.50
AM44-014-024-05.0	14.00	24.00	5.00
AM44-015-021-03.5	15.00	21.00	3.50
AM44-015-025-05.0	15.00	25.00	5.00
AM44-016-022-03.0	16.00	22.00	3.00
AM44-016-022-03.5	16.00	22.00	3.50
AM44-016-026-05.0	16.00	26.00	5.00
AM44-017-024-03.5	17.00	24.00	3.50
AM44-018-028-05.0	18.00	28.00	5.00
AM44-018-028-07.0	18.00	28.00	7.00
AM44-018-030-06.0	18.00	30.00	6.00
AM44-020-028-03.5	20.00	28.00	3.50
AM44-020-030-04.0	20.00	30.00	4.00
AM44-020-030-05.0	20.00	30.00	5.00
AM44-020-030-07.0	20.00	30.00	7.00
AM44-020-032-06.0	20.00	32.00	6.00
AM44-022-028-05.0	22.00	28.00	5.00
AM44-022-032-05.0	22.00	32.00	5.00
AM44-022-032-07.0	22.00	32.00	7.00
AM44-025-032-05.0	25.00	32.00	5.00
AM44-025-035-05.0	25.00	35.00	5.00
AM44-025-035-07.0	25.00	35.00	7.00
AM44-025-037-06.0	25.00	37.00	6.00
AM44-028-038-05.0	28.00	38.00	5.00



N. Parte	DI	DE	H
AM44-028-038-07.0	28.00	38.00	7.00
AM44-028-040-06.0	28.00	40.00	6.00
AM44-028-040-07.0	28.00	40.00	7.00
AM44-030-040-05.0	30.00	40.00	5.00
AM44-030-040-07.0	30.00	40.00	7.00
AM44-030-042-06.0	30.00	42.00	6.00
AM44-030-045-05.0	30.00	45.00	5.00
AM44-032-042-05.0	32.00	42.00	5.00
AM44-032-042-07.0	32.00	42.00	7.00
AM44-032-044-07.0	32.00	44.00	7.00
AM44-032-045-04.0	32.00	45.00	4.00
AM44-032-045-07.0	32.00	45.00	7.00
AM44-033-043-07.0	33.00	43.00	7.00
AM44-035-045-07.0	35.00	45.00	7.00
AM44-035-047-07.0	35.00	47.00	7.00
AM44-036-045-07.0	36.00	45.00	7.00
AM44-036-046-05.0	36.00	46.00	5.00
AM44-036-046-07.0	36.00	46.00	7.00
AM44-036-050-07.0	36.00	50.00	7.00
AM44-038-048-07.0	38.00	48.00	7.00
AM44-040-050-05.0	40.00	50.00	5.00
AM44-040-050-07.0	40.00	50.00	7.00
AM44-040-052-07.0	40.00	52.00	7.00
AM44-040-060-07.0	40.00	60.00	7.00
AM44-042-052-05.0	42.00	52.00	5.00
AM44-042-052-07.0	42.00	52.00	7.00
AM44-045-055-05.0	45.00	55.00	5.00
AM44-045-055-07.0	45.00	55.00	7.00
AM44-045-057-07.0	45.00	57.00	7.00
AM44-045-060-07.0	45.00	60.00	7.00
AM44-047-059-07.0	47.00	59.00	7.00
AM44-048-060-07.0	48.00	60.00	7.00

LIMPIADOR TIPO AM44 MILIMÉTRICO

N. Parte	DI	DE	H
AM44-048-062-07.0	48.00	62.00	7.00
AM44-050-056-05.0	50.00	56.00	5.00
AM44-050-060-05.0	50.00	60.00	5.00
AM44-050-060-07.0	50.00	60.00	7.00
AM44-050-062-07.0	50.00	62.00	7.00
AM44-50-65-7	50.00	65.00	7.00
AM44-052-062-07.0	52.00	62.00	7.00
AM44-053-067-08.0	53.00	67.00	8.00
AM44-055-063-07.0	55.00	63.00	7.00
AM44-055-065-05.0	55.00	65.00	5.00
AM44-055-065-07.0	55.00	65.00	7.00
AM44-055-069-08.0	55.00	69.00	8.00
AM44-056-065-07.0	56.00	65.00	7.00
AM44-056-066-05.0	56.00	66.00	5.00
AM44-056-066-07.0	56.00	66.00	7.00
AM44-056-070-08.0	56.00	70.00	8.00
AM44-060-070-05.0	60.00	70.00	5.00
AM44-060-070-07.0	60.00	70.00	7.00
AM44-060-074-05.0	60.00	74.00	5.00
AM44-060-074-08.0	60.00	74.00	8.00
AM44-063-073-05.0	63.00	73.00	5.00
AM44-063-075-07.0	63.00	75.00	7.00
AM44-063-077-08.0	63.00	77.00	8.00
AM44-064-078-08.0	64.00	78.00	8.00
AM44-065-075-05.0	65.00	75.00	5.00
AM44-065-075-07.0	65.00	75.00	7.00
AM44-065-079-08.0	65.00	79.00	8.00
AM44-067-081-08.0	67.00	81.00	8.00
AM44-070-080-05.0	70.00	80.00	5.00
AM44-070-080-07.0	70.00	80.00	7.00
AM44-070-084-08.0	70.00	84.00	8.00
AM44-071-085-08.0	71.00	85.00	8.00
AM44-075-083-07.0	75.00	83.00	7.00
AM44-075-085-07.0	75.00	85.00	7.00
AM44-075-089-08.0	75.00	89.00	8.00
AM44-080-088-07.0	80.00	88.00	7.00
AM44-080-090-07.0	80.00	90.00	7.00
AM44-080-094-08.0	80.00	94.00	8.00
AM44-082-092-07.0	82.00	92.00	7.00
AM44-085-095-07.0	85.00	95.00	7.00
AM44-085-099-08.0	85.00	99.00	8.00
AM44-090-100-07.0	90.00	100.00	7.00

N. Parte	DI	DE	H
AM44-090-104-08.0	90.00	104.00	8.00
AM44-090-110-10.0	90.00	110.00	10.00
AM44-092-106-08.0	92.00	106.00	8.00
AM44-095-105-07.0	95.00	105.00	7.00
AM44-095-109-08.0	95.00	109.00	8.00
AM44-100-110-07.0	100.00	110.00	7.00
AM44-100-114-08.0	100.00	114.00	8.00
AM44-100-115-08.0	100.00	115.00	8.00
AM44-105-115-07.0	105.00	115.00	7.00
AM44-105-121-09.0	105.00	121.00	9.00
AM44-106-122-09.0	106.00	122.00	9.00
AM44-110-120-07.0	110.00	120.00	7.00
AM44-110-126-09.0	110.00	126.00	9.00
AM44-115-125-07.0	115.00	125.00	7.00
AM44-118-134-09.0	118.00	134.00	9.00
AM44-120-130-07.0	120.00	130.00	7.00
AM44-120-136-09.0	120.00	136.00	9.00
AM44-125-140-09.0	125.00	140.00	9.00
AM44-125-141-09.0	125.00	141.00	9.00
AM44-130-145-09.0	130.00	145.00	9.00
AM44-130-146-09.0	130.00	146.00	9.00
AM44-132-148-09.0	132.00	148.00	9.00
AM44-135-150-09.0	135.00	150.00	9.00
AM44-135-155-10.0	135.00	155.00	10.00
AM44-140-155-09.0	140.00	155.00	9.00
AM44-140-160-10.0	140.00	160.00	10.00
AM44-145-165-10.0	145.00	165.00	10.00
AM44-150-165-09.0	150.00	165.00	9.00
AM44-150-170-10.0	150.00	170.00	10.00
AM44-160-175-09.0	160.00	175.00	9.00
AM44-160-180-10.0	160.00	180.00	10.00
AM44-165-185-10.0	165.00	185.00	10.00
AM44-170-190-10.0	170.00	190.00	10.00
AM44-180-195-10.0	180.00	195.00	10.00
AM44-190-215-12.0	190.00	215.00	12.00
AM44-200-220-12.0	200.00	220.00	12.00
AM44-200-225-12.0	200.00	225.00	12.00
AM44-210-235-12.0	210.00	235.00	12.00
AM44-212-237-12.0	212.00	237.00	12.00
AM44-220-245-12.0	220.00	245.00	12.00
AM44-224-249-12.0	224.00	249.00	12.00
AM44-225-250-12.0	225.00	250.00	12.00

LIMPIADOR TIPO ADM55 MILIMÉTRICO



Material: Poliuretano 95 Sh
/ Metal

Dimensiones: Milimétricos

Velocidad: ≤ 1 mt/seg

Temperatura: -40°C a 100°C

N. Parte	DI	DE	H
ADM55-019-027-04.0	19.00	27.00	4.00
ADM55-020-032-06.0	20.00	32.00	6.00
ADM55-025-037-06.0	25.00	37.00	6.00
ADM55-030-042-06.0	30.00	42.00	6.00
ADM55-032-044-07.0	32.00	44.00	7.00
ADM55-034-046-07.0	34.00	46.00	7.00
ADM55-038-050-07.0	38.00	50.00	7.00
ADM55-040-052-07.0	40.00	52.00	7.00
ADM55-045-057-07.0	45.00	57.00	7.00
ADM55-050-062-07.0	50.00	62.00	7.00
ADM55-055-069-08.0	55.00	69.00	8.00
ADM55-060-074-08.0	60.00	74.00	8.00
ADM55-065-079-08.0	65.00	79.00	8.00
ADM55-070-083-08.0	70.00	83.00	8.00

N. Parte	DI	DE	H
ADM55-070-084-08.0	70.00	84.00	8.00
ADM55-075-089-08.0	75.00	89.00	8.00
ADM55-080-094-08.0	80.00	94.00	8.00
ADM55-085-099-08.0	85.00	99.00	8.00
ADM55-090-104-08.0	90.00	104.00	8.00
ADM55-095-109-08.0	95.00	109.00	8.00
ADM55-100-114-08.0	100.00	114.00	8.00
ADM55-105-121-09.0	105.00	121.00	9.00
ADM55-110-126-09.0	110.00	126.00	9.00
ADM55-115-131-09.0	115.00	131.00	9.00
ADM55-120-136-09.0	120.00	136.00	9.00
ADM55-130-146-09.0	130.00	146.00	9.00
ADM55-140-160-10.0	140.00	160.00	10.00